

# **Appendix A**

**STORMWATER TESTING  
HAZARDOUS WASTE DAY COLLECTING  
ELECTRONICS RECYCLING  
WEATHER DATA FOR STORMWATER TESTING  
NOTICE FOR PUBLIC REVIEW OF  
STORMWATER ANNUAL REPORT  
ANNUAL REPORT-2017/2018  
EASTON PUBLIC WORKS DEPTMENT**

STORM WATER TESTING LOCATIONS - DATE: 12/21/18  
SAMPLES TAKEN BY: Bruce Bonabero

Air Temp. 58°F @ 7 a.m. / p.m.

Rain Fall Started: 12:44 AM Ended: 7:40 PM 2 inches

Sample	Location	Time	Sample Temp.	Rain Fall PH
1	43 SPORT HILL PKWAY. - CROSS CULVERT	8:05 AM	47.5°F	5
2	25 RIVERSIDE LANE - CROSS CULVERT	7:49 AM	40.5°F	5
3	65 DELAWARE RD. - CROSS CULVERT	8:30 AM	48.5°F	5
4	56 WESTWOOD DR. - CROSS CULVERT	8:41 AM	48.5°F	5
5	105 WEDGEWOOD DR. - CROSS CULVERT	8:15 AM	48.5°F	5
6	FAWN RD. - DETENTION AREA	8:54 AM	47.8°F	5

Town of EASTON

Rec- 12-21-18 10:20 AM 11:40



# General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems

## Stormwater Monitoring Report Form

### PERMITTEE INFORMATION

Town: Town of Easton  
Mailing Address: 15 Westport Rd., Easton, CT 06612  
Contact Person: Bruce Bombero Title: Deputy Director of Public Works Phone: 206-268-0714  
Permit Registration # GSM 000108

### SAMPLING INFORMATION

Discharge Location (Lat/Long or other description): Fawn Rd  
Please circle the appropriate area description: Industrial, Commercial, or Residential  
Receiving Water (name, basin): Mill River  
Time of Start of Discharge: 12:00 Midnight  
Date/Time Collected: 12/21/2018 8:54 A.M. Water Temperature: 47.8° F  
Person Collecting Sample: Bruce Bombero  
Storm Magnitude (inches): 2" Storm Duration (hours): 23.25 hrs.  
Date of Previous Storm Event: 12/16/18

### MONITORING RESULTS

Parameter	Method	Results (units)	Laboratory
Sample pH	4500 HB	7.1	Aqua Environmental Lab
Rain pH	4500 HB	5	Aqua Environmental Lab
Hardness	200.7	17 mg/L	Aqua Environmental Lab
Conductivity	120.1	71 uS/cm	Aqua Environmental Lab
Oil & Grease	413.2	<1 mg/L	Aqua Environmental Lab
COD	410.4	35.4 mg/L	Aqua Environmental Lab
Turbidity	180.1	12.5 ntu	Aqua Environmental Lab
TSS	160.2	20.8 mg/L	Aqua Environmental Lab
TP	365.2t	0.07 mg/L	Aqua Environmental Lab
Ammonia	350.2	0.58 mg/L	Aqua Environmental Lab
TKN	351.3	1.30 mg/L	Aqua Environmental Lab
NO <sub>3</sub> +NO <sub>2</sub>	300.0	0.69 mg/L	Aqua Environmental Lab
E. coli	SM9222D	345 cfu	Aqua Environmental Lab

### STATEMENT OF ACKNOWLEDGMENT

I certify that the data reported on this document were prepared under my direction or supervision in accordance with the MS4 General Permit. The information submitted is, to the best of my knowledge and belief, true, accurate and complete.

Authorized Official: Bruce E. Bombero, Sr., P.E., L.S., Deputy Director of Public Works

Signature: Bruce E Bombero Sr

Date: 3/18/19





# General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems

## Stormwater Monitoring Report Form

### PERMITTEE INFORMATION

Town: Town of Easton  
Mailing Address: 15 Westport Rd., Easton, CT 06612  
Contact Person: Bruce Bombero Title: Deputy Director of Public Works Phone: 206-268-0714  
Permit Registration # GSM 000108

### SAMPLING INFORMATION

Discharge Location (Lat/Long or other description): 105 Wedgewood Dr  
Please circle the appropriate area description: Industrial, Commercial, or Residential  
Receiving Water (name, basin): Mill River  
Time of Start of Discharge: 12:00 Midnight  
Date/Time Collected: 12/21/2018 8:15 A.M. Water Temperature: 48.5° F  
Person Collecting Sample: Bruce Bombero  
Storm Magnitude (inches): 2" Storm Duration (hours): 23.25 hrs.  
Date of Previous Storm Event: 12/16/18

### MONITORING RESULTS

Parameter	Method	Results (units)	Laboratory
Sample pH	4500 HB	7.2	Aqua Environmental Lab
Rain pH	4500 HB	5	Aqua Environmental Lab
Hardness	200.7	28 mg/L	Aqua Environmental Lab
Conductivity	120.1	143 uS/cm	Aqua Environmental Lab
Oil & Grease	413.2	<1 mg/L	Aqua Environmental Lab
COD	410.4	23.9mg/L	Aqua Environmental Lab
Turbidity	180.1	6.8 ntu	Aqua Environmental Lab
TSS	160.2	7.2 mg/L	Aqua Environmental Lab
TP	365.2t	0.04 mg/L	Aqua Environmental Lab
Ammonia	350.2	0.60 mg/L	Aqua Environmental Lab
TKN	351.3	1.40 mg/L	Aqua Environmental Lab
NO <sub>3</sub> +NO <sub>2</sub>	300.0	1.14 mg/L	Aqua Environmental Lab
E. coli	SM9222D	980 cfu	Aqua Environmental Lab

### STATEMENT OF ACKNOWLEDGMENT

I certify that the data reported on this document were prepared under my direction or supervision in accordance with the MS4 General Permit. The information submitted is, to the best of my knowledge and belief, true, accurate and complete.

Authorized Official: Bruce E. Bombero, Sr., P.E., L.S., Deputy Director of Public Works

Signature: Bruce E Bombero Sr

Date: 3/18/19





# General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems

## Stormwater Monitoring Report Form

### PERMITTEE INFORMATION

Town: Town of Easton  
Mailing Address: 15 Westport Rd., Easton, CT 06612  
Contact Person: Bruce Bombero Title: Deputy Director of Public Works Phone: 206-268-0714  
Permit Registration # GSM 000108

### SAMPLING INFORMATION

Discharge Location (Lat/Long or other description): 56 Westwood Drive  
Please circle the appropriate area description: Industrial, Commercial, or Residential  
Receiving Water (name, basin): Mill River  
Time of Start of Discharge: 12:00 Midnight  
Date/Time Collected: 12/21/2018 8:41 A.M. Water Temperature: 48.5° F  
Person Collecting Sample: Bruce Bombero  
Storm Magnitude (inches): 2" Storm Duration (hours): 23.25 hrs.  
Date of Previous Storm Event: 12/16/18

### MONITORING RESULTS

Parameter	Method	Results (units)	Laboratory
Sample pH	4500 HB	7.3	Aqua Environmental Lab
Rain pH	4500 HB	5	Aqua Environmental Lab
Hardness	200.7	28 mg/L	Aqua Environmental Lab
Conductivity	120.1	110 uS/cm	Aqua Environmental Lab
Oil & Grease	413.2	<1 mg/L	Aqua Environmental Lab
COD	410.4	27.6 mg/L	Aqua Environmental Lab
Turbidity	180.1	9.1 ntu	Aqua Environmental Lab
TSS	160.2	10.8 mg/L	Aqua Environmental Lab
TP	365.2t	0.06 mg/L	Aqua Environmental Lab
Ammonia	350.2	0.66 mg/L	Aqua Environmental Lab
TKN	351.3	1.55 mg/L	Aqua Environmental Lab
NO <sub>3</sub> +NO <sub>2</sub>	300.0	1.67 mg/L	Aqua Environmental Lab
E. coli	SM9222D	>2,419 cfu	Aqua Environmental Lab

### STATEMENT OF ACKNOWLEDGMENT

I certify that the data reported on this document were prepared under my direction or supervision in accordance with the MS4 General Permit. The information submitted is, to the best of my knowledge and belief, true, accurate and complete.

Authorized Official: Bruce E. Bombero, Sr., P.E., L.S., Deputy Director of Public Works

Signature: Bruce E Bombero

Date: 3/18/19





# General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems

## Stormwater Monitoring Report Form

### PERMITTEE INFORMATION

Town: Town of Easton  
Mailing Address: 15 Westport Rd., Easton, CT 06612  
Contact Person: Bruce Bombero Title: Deputy Director of Public Works Phone: 206-268-0714  
Permit Registration # GSM 000108

### SAMPLING INFORMATION

Discharge Location (Lat/Long or other description): 65 Delaware Road  
Please circle the appropriate area description: Industrial, Commercial, or Residential  
Receiving Water (name, basin): Mill River  
Time of Start of Discharge: 12:00 Midnight  
Date/Time Collected: 12/21/2018 8:30 A.M. Water Temperature: 48.5° F  
Person Collecting Sample: Bruce Bombero  
Storm Magnitude (inches): 2" Storm Duration (hours): 23.25 hrs.  
Date of Previous Storm Event: 12/16/18

### MONITORING RESULTS

Parameter	Method	Results (units)	Laboratory
Sample pH	4500 HB	7.1	Aqua Environmental Lab
Rain pH	4500 HB	5	Aqua Environmental Lab
Hardness	200.7	27 mg/L	Aqua Environmental Lab
Conductivity	120.1	109 uS/cm	Aqua Environmental Lab
Oil & Grease	413.2	<1 mg/L	Aqua Environmental Lab
COD	410.4	25.7 mg/L	Aqua Environmental Lab
Turbidity	180.1	7.6 ntu	Aqua Environmental Lab
TSS	160.2	8.4 mg/L	Aqua Environmental Lab
TP	365.2t	0.06 mg/L	Aqua Environmental Lab
Ammonia	350.2	0.61 mg/L	Aqua Environmental Lab
TKN	351.3	1.37 mg/L	Aqua Environmental Lab
NO <sub>3</sub> +NO <sub>2</sub>	300.0	1.52 mg/L	Aqua Environmental Lab
E. coli	SM9222D	>2,419 cfu	Aqua Environmental Lab

### STATEMENT OF ACKNOWLEDGMENT

I certify that the data reported on this document were prepared under my direction or supervision in accordance with the MS4 General Permit. The information submitted is, to the best of my knowledge and belief, true, accurate and complete.

Authorized Official: Bruce E. Bombero, Sr., P.E., L.S., Deputy Director of Public Works

Signature: Bruce E. Bombero Sr.

Date: 3/18/19





# General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems

## Stormwater Monitoring Report Form

### PERMITTEE INFORMATION

Town: Town of Easton  
Mailing Address: 15 Westport Rd., Easton, CT 06612  
Contact Person: Bruce Bombero Title: Deputy Director of Public Works Phone: 206-268-0714  
Permit Registration # GSM 000108

### SAMPLING INFORMATION

Discharge Location (Lat/Long or other description): 43 Sport Hill Pkwy  
Please circle the appropriate area description: Industrial, Commercial, or Residential  
Receiving Water (name, basin): Mill River  
Time of Start of Discharge: 12:00 Midnight  
Date/Time Collected: 12/21/2018 8:05 A.M. Water Temperature: 47.5° F  
Person Collecting Sample: Bruce Bombero  
Storm Magnitude (inches): 2" Storm Duration (hours): 23.25 hrs.  
Date of Previous Storm Event: 12/16/18

### MONITORING RESULTS

Parameter	Method	Results (units)	Laboratory
Sample pH	4500 HB	7.2	Aqua Environmental Lab
Rain pH	4500 HB	5	Aqua Environmental Lab
Hardness	200.7	30	Aqua Environmental Lab
Conductivity	120.1	191 uS/cm	Aqua Environmental Lab
Oil & Grease	413.2	<1 mg/L	Aqua Environmental Lab
COD	410.4	24.5 mg/L	Aqua Environmental Lab
Turbidity	180.1	9.6 ntu	Aqua Environmental Lab
TSS	160.2	9.6 mg/L	Aqua Environmental Lab
TP	365.2t	0.33 mg/L	Aqua Environmental Lab
Ammonia	350.2	0.60 mg/L	Aqua Environmental Lab
TKN	351.3	1.28 mg/L	Aqua Environmental Lab
NO <sub>3</sub> +NO <sub>2</sub>	300.0	1.12 mg/L	Aqua Environmental Lab
E. coli	SM9222D	547 cfu	Aqua Environmental Lab

### STATEMENT OF ACKNOWLEDGMENT

I certify that the data reported on this document were prepared under my direction or supervision in accordance with the MS4 General Permit. The information submitted is, to the best of my knowledge and belief, true, accurate and complete.

Authorized Official: Bruce E. Bombero, Sr., P.E., L.S., Deputy Director of Public Works

Signature: Bruce E Bombero Sr

Date: 3/18/19





**General Permit for the Discharge of Stormwater from Small  
Municipal Separate Storm Sewer Systems**

**Stormwater Monitoring Report Form**

**PERMITTEE INFORMATION**

Town: Town of Easton  
Mailing Address: 15 Westport Rd., Easton, CT 06612  
Contact Person: Bruce Bombero Title: Deputy Director of Public Works Phone: 206-268-0714  
Permit Registration # GSM 000108

**SAMPLING INFORMATION**

Discharge Location (Lat/Long or other description): 25 Riverside Lane  
  
Please circle the appropriate area description: Industrial, Commercial, or Residential  
Receiving Water (name, basin): Mill River  
Time of Start of Discharge: 12:00 Midnight  
Date/Time Collected: 12/21/2018 7:49 A.M. Water Temperature: 40.5° F  
Person Collecting Sample: Bruce Bombero  
Storm Magnitude (inches): 2" Storm Duration (hours): 23.25 hrs.  
Date of Previous Storm Event: 12/16/18

**MONITORING RESULTS**

Parameter	Method	Results (units)	Laboratory
Sample pH	4500 HB	7.0	Aqua Environmental Lab
Rain pH	4500 HB	5	Aqua Environmental Lab
Hardness	200.7	21 mg/L	Aqua Environmental Lab
Conductivity	120.1	97 uS/cm	Aqua Environmental Lab
Oil & Grease	413.2	<1 mg/L	Aqua Environmental Lab
COD	410.4	21.1 mg/L	Aqua Environmental Lab
Turbidity	180.1	5.7 ntu	Aqua Environmental Lab
TSS	160.2	6.8 mg/L	Aqua Environmental Lab
TP	365.2t	0.02 mg/L	Aqua Environmental Lab
Ammonia	350.2	0.58 mg/L	Aqua Environmental Lab
TKN	351.3	1.16 mg/L	Aqua Environmental Lab
NO <sub>3</sub> +NO <sub>2</sub>	300.0	0.82 mg/L	Aqua Environmental Lab
E. coli	SM9222D	201 cfu	Aqua Environmental Lab

**STATEMENT OF ACKNOWLEDGMENT**

I certify that the data reported on this document were prepared under my direction or supervision in accordance with the MS4 General Permit. The information submitted is, to the best of my knowledge and belief, true, accurate and complete.

Authorized Official: Bruce E. Bombero, Sr., P.E., L.S., Deputy Director of Public Works  
Deputy Director of Public Works

Signature: Bruce E Bombero

Date: 3/18/19





# AQUA ENVIRONMENTAL LAB

56 Church Hill Road Newtown, CT 06470 (203) 270-9973

## Report of Analysis

**Name:** Town of Easton  
15 Westport Rd  
Easton, CT 06612  
**Sample Date:** 12/21/2018 8:05 AM  
**Receipt Date:** 12/21/2018 10:20 AM  
**Report Date:** 1/11/2019  
**Sample Site:** 43 Sport Hill Pkway

**Sample ID#:** 223603  
**Sample Type:** Test  
**Sample Source:** Cross Culvert  
**Sampler:** BB

Parameter	Sample Result	Units	Limits	Method	MDL	Analysis Date/Time
<b>Biological</b> e Coli Bacteria	547 *	Col/100 ml	235	SM9223B-22	0	12/21/2018 15:25
<b>Minerals</b> Hardness	30	mg/L	No Limit Set	EPA 200.5	1	12/22/2018 08:18
<b>Nutrient</b> Ammonia as N	0.60	mg/L	No Limit Set	EPA 350.2	0.1	1/4/2019 13:39
Nitrate as N	1.12	mg/L	10	EPA 300.0	0	12/21/2018 16:30
Phosphorus-T as P	0.33	mg/L	No Limit Set	TNT 843	None	1/3/2019 13:51
Total Kjeldahl Nitrogen as N	1.28	mg/L	No Limit Set	SM4500NH3C-22	0.6	1/10/2019 15:08
<b>Organic Compounds</b> Oil & Grease	<1	mg/L	No Limit Set	1664A	1	1/11/2019 14:21
<b>Oxygen Demand</b> Chemical Oxygen Demand	24.5	mg/L	No Limit Set	TNT 821	5	1/10/2019 15:25
<b>Physical</b> Conductivity	191	uS/cm	No Limit Set	EPA 120.1	1	1/2/2019 15:13
PH	7.2	SU	2 - 10	SM4500HB-22	0	12/21/2018 12:59
Suspended Solids	9.6	mg/L	No Limit Set	SM2540D-22	None	12/26/2018 16:00
Temperature	12.6	C	No Limit Set	170.1-C	1	12/21/2018 10:20
Turbidity	9.6 *	NTU	5	EPA 180.1	0.05	12/21/2018 16:00

ND = Not Detected  
\* = Above Specified Limit

Report Approved by:

Lab Director

CT Lic PH-0787

NY Lic 11706

Analytical results relate to the samples as received at the laboratory. Report shall not be reproduced except in its entirety without written approval from the laboratory.



# AQUA ENVIRONMENTAL LAB

56 Church Hill Road • Newtown, CT 06470 • (203) 270-9973

## Report of Analysis

**Name:** Town of Easton  
15 Westport Rd  
Easton, CT 06612  
**Sample Date:** 12/21/2018 7:49 AM  
**Receipt Date:** 12/21/2018 10:20 AM  
**Report Date:** 1/11/2019  
**Sample Site:** 23 Riverside Lane

**Sample ID#:** 223604  
**Sample Type:** Test  
**Sample Source:** Cross Culvert  
**Sampler:** BB

Parameter	Sample Result	Units	Limits	Method	MDL	Analysis Date/Time
<b>Biological</b> e Coli Bacteria	201	Col/100 ml	235	SM9223B-22	0	12/21/2018 15:25
<b>Minerals</b> Hardness	21	mg/L	No Limit Set	EPA 200.5	1	12/22/2018 08:18
<b>Nutrient</b> Ammonia as N	0.58	mg/L	No Limit Set	EPA 350.2	0.1	1/4/2019 13:39
Nitrate as N	0.82	mg/L	10	EPA 300.0	0	12/21/2018 16:30
Phosphorus-T as P	0.02	mg/L	No Limit Set	TNT 843	None	1/3/2019 13:51
Total Kjeldahl Nitrogen as N	1.16	mg/L	No Limit Set	SM4500NH3C-22	0.6	1/10/2019 15:08
<b>Organic Compounds</b> Oil & Grease	<1	mg/L	No Limit Set	1664A	1	1/11/2019 14:21
<b>Oxygen Demand</b> Chemical Oxygen Demand	21.1	mg/L	No Limit Set	TNT 821	5	1/10/2019 15:25
<b>Physical</b> Conductivity	97	uS/cm	No Limit Set	EPA 120.1	1	1/2/2019 15:13
PH	7.0	SU	2 - 10	SM4500HB-22	0	12/21/2018 13:00
Suspended Solids	6.8	mg/L	No Limit Set	SM2540D-22	None	12/26/2018 16:00
Temperature	13.2	C	No Limit Set	170.1-C	1	12/21/2018 10:20
Turbidity	5.7 *	NTU	5	EPA 180.1	0.05	12/21/2018 16:00

ND = Not Detected  
\* = Above Specified Limit

Report Approved by:

Lab Director

CT Lic PH-0787

NY Lic 11706

Analytical results relate to the samples as received at the laboratory. Report shall not be reproduced except in its entirety without written approval from the laboratory.





# AQUA ENVIRONMENTAL LAB

56 Church Hill Road Newtown, CT 06470 (303) 270-9973

## Report of Analysis

**Name:** Town of Easton  
15 Westport Rd  
Easton, CT 06612  
**Sample ID#:** 223605  
**Sample Type:** Test  
**Sample Source:** Cross Culvert  
**Sampler:** BB  
**Sample Date:** 12/21/2018 8:30 AM  
**Receipt Date:** 12/21/2018 10:20 AM  
**Report Date:** 1/11/2019  
**Sample Site:** 65 Delaware Rd.

Parameter	Sample Result	Units	Limits	Method	MDL	Analysis Date/Time
<b>Biological</b> e Coli Bacteria	>2,419	Col/100 ml	235	SM9223B-22	0	12/21/2018 15:25
<b>Minerals</b> Hardness	27	mg/L	No Limit Set	EPA 200.5	1	12/22/2018 08:18
<b>Nutrient</b> Ammonia as N	0.61	mg/L	No Limit Set	EPA 350.2	0.1	1/4/2019 13:39
Nitrate as N	1.52	mg/L	10	EPA 300.0	0	12/21/2018 16:30
Phosphorus-T as P	0.06	mg/L	No Limit Set	TNT 843	None	1/3/2019 13:51
Total Kjeldahl Nitrogen as N	1.37	mg/L	No Limit Set	SM4500NH3C-22	0.6	1/10/2019 15:08
<b>Organic Compounds</b> Oil & Grease	<1	mg/L	No Limit Set	1664A	1	1/11/2019 15:25
<b>Oxygen Demand</b> Chemical Oxygen Demand	25.7	mg/L	No Limit Set	TNT 821	5	1/10/2019 15:25
<b>Physical</b> Conductivity	109	uS/cm	No Limit Set	EPA 120.1	1	1/2/2019 15:13
PH	7.1	SU	2 - 10	SM4500HB-22	0	12/21/2018 13:02
Suspended Solids	8.4	mg/L	No Limit Set	SM2540D-22	None	12/26/2018 16:00
Temperature	13.6	C	No Limit Set	170.1-C	1	12/21/2018 10:20
Turbidity	7.6 *	NTU	5	EPA 180.1	0.05	12/21/2018 16:00

ND = Not Detected  
\* = Above Specified Limit

Report Approved by:

Lab Director

CT Lic PH-0787

NY Lic 11706

Analytical results relate to the samples as received at the laboratory. Report shall not be reproduced except in its entirety without written approval from the laboratory.



# AQUA ENVIRONMENTAL LAB

56 Church Hill Road • Newtown, CT 06470 • (203) 270-9973

## Report of Analysis

**Name:** Town of Easton  
15 Westport Rd  
Easton, CT 06612  
**Sample Date:** 12/21/2018 8:41 AM  
**Receipt Date:** 12/21/2018 10:20 AM  
**Report Date:** 1/11/2019  
**Sample Site:** 56 Westwood Dr.

**Sample ID#:** 223606  
**Sample Type:** Test  
**Sample Source:** Cross Culvert  
**Sampler:** BB

Parameter	Sample Result	Units	Limits	Method	MDL	Analysis Date/Time
<b>Biological</b> e Coli Bacteria	>2,419	Col/100 ml	235	SM9223B-22	0	12/21/2018 15:25
<b>Minerals</b> Hardness	28	mg/L	No Limit Set	EPA 200.5	1	12/22/2018 08:21
<b>Nutrient</b> Ammonia as N	0.66	mg/L	No Limit Set	EPA 350.2	0.1	1/10/2019 12:08
Nitrate as N	1.67	mg/L	10	EPA 300.0	0	12/21/2018 16:30
Phosphorus-T as P	0.06	mg/L	No Limit Set	TNT 843	None	1/3/2019 13:51
Total Kjeldahl Nitrogen as N	1.55	mg/L	No Limit Set	SM4500NH3C-22	0.6	1/10/2019 15:08
<b>Organic Compounds</b> Oil & Grease	<1	mg/L	No Limit Set	1664A	1	1/11/2019 15:25
<b>Oxygen Demand</b> Chemical Oxygen Demand	27.6	mg/L	No Limit Set	TNT 821	5	1/10/2019 15:25
<b>Physical</b> Conductivity	110	uS/cm	No Limit Set	EPA 120.1	1	1/2/2019 15:13
PH	7.3	SU	2 - 10	SM4500HB-22	0	12/21/2018 15:11
Suspended Solids	10.8	mg/L	No Limit Set	SM2540D-22	None	12/26/2018 16:00
Temperature	13.6	C	No Limit Set	170.1-C	1	12/21/2018 10:20
Turbidity	9.1 *	NTU	5	EPA 180.1	0.05	12/21/2018 16:00

ND = Not Detected  
\* = Above Specified Limit

Report Approved by:

Lab Director

CT Lic PH-0787

NY Lic 11706

Analytical results relate to the samples as received at the laboratory. Report shall not be reproduced except in its entirety without written approval from the laboratory.





## AQUA ENVIRONMENTAL LAB

56 Church Hill Road Newtown, CT 06470 • (203) 270-9973

## Report of Analysis

**Name:** Town of Easton  
 15 Westport Rd  
 Easton, CT 06612  
**Sample Date:** 12/21/2018 8:15 AM  
**Receipt Date:** 12/21/2018 10:20 AM  
**Report Date:** 1/11/2019  
**Sample Site:** 105 wedgewood Dr.

**Sample ID#:** 223607  
**Sample Type:** Test  
**Sample Source:** Cross Culvert  
**Sampler:** BB

Parameter	Sample Result	Units	Limits	Method	MDL	Analysis Date/Time
<b>Biological</b> e Coli Bacteria	980 *	Col/100 ml	235	SM9223B-22	0	12/21/2018 15:25
<b>Minerals</b> Hardness	28	mg/L	No Limit Set	EPA 200.5	1	12/22/2018 09:22
<b>Nutrient</b> Ammonia as N	0.60	mg/L	No Limit Set	EPA 350.2	0.1	1/10/2019 12:08
Nitrate as N	1.14	mg/L	10	EPA 300.0	0	12/21/2018 16:30
Phosphorus-T as P	0.04	mg/L	No Limit Set	TNT 843	None	1/3/2019 13:51
Total Kjeldahl Nitrogen as N	1.40	mg/L	No Limit Set	SM4500NH3C-22	0.6	1/10/2019 15:08
<b>Organic Compounds</b> Oil & Grease	<1	mg/L	No Limit Set	1664A	1	1/11/2019 15:26
<b>Oxygen Demand</b> Chemical Oxygen Demand	23.9	mg/L	No Limit Set	TNT 821	5	1/10/2019 15:25
<b>Physical</b> Conductivity	143	uS/cm	No Limit Set	EPA 120.1	1	1/2/2019 15:13
PH	7.2	SU	2 - 10	SM4500HB-22	0	12/21/2018 15:12
Suspended Solids	7.2	mg/L	No Limit Set	SM2540D-22	None	12/26/2018 16:00
Temperature	13.2	C	No Limit Set	170.1-C	1	12/21/2018 10:20
Turbidity	6.8 *	NTU	5	EPA 180.1	0.05	12/21/2018 16:00

ND = Not Detected  
 \* = Above Specified Limit

Report Approved by

Lab Director

CT Lic PH-0787

NY Lic 11706

Analytical results relate to the samples as received at the laboratory. Report shall not be reproduced except in its entirety without written approval from the laboratory.



## AQUA ENVIRONMENTAL LAB

56 Church Hill Road • Newtown, CT 06470 • (203) 270-9973

## Report of Analysis

**Name:** Town of Easton  
 15 Westport Rd  
 Easton, CT 06612  
**Sample Date:** 12/21/2018 8:54 AM  
**Receipt Date:** 12/21/2018 10:20 AM  
**Report Date:** 1/16/2019  
**Sample Site:** Fawn Rd.

**Sample ID#:** 223608  
**Sample Type:** Test  
**Sample Source:** Detention Area  
**Sampler:** BB

Parameter	Sample Result	Units	Limits	Method	MDL	Analysis Date/Time
<b>Biological</b> e Coli Bacteria	345 *	Col/100 ml	235	SM9223B-22	0	12/21/2018 15:25
<b>Minerals</b> Hardness	17	mg/L	No Limit Set	EPA 200.5	1	12/22/2018 09:22
<b>Nutrient</b> Ammonia as N	0.58	mg/L	No Limit Set	EPA 350.2	0.1	1/10/2019 12:08
Nitrate as N	0.69	mg/L	10	EPA 300.0	0	12/21/2018 16:30
Phosphorus-T as P	0.07	mg/L	No Limit Set	TNT 843	None	1/3/2019 13:51
Total Kjeldahl Nitrogen as N	1.30	mg/L	No Limit Set	SM4500NH3C-22	0.6	1/16/2019 15:16
<b>Organic Compounds</b> Oil & Grease	<1	mg/L	No Limit Set	1664A	1	1/11/2019 15:26
<b>Oxygen Demand</b> Chemical Oxygen Demand	35.4	mg/L	No Limit Set	TNT 821	5	1/10/2019 15:25
<b>Physical</b> Conductivity	71	uS/cm	No Limit Set	EPA 120.1	1	1/2/2019 15:13
PH	7.1	SU	2 - 10	SM4500HB-22	0	12/21/2018 15:14
Suspended Solids	20.8	mg/L	No Limit Set	SM2540D-22	None	12/26/2018 16:00
Temperature	14.0	C	No Limit Set	170.1-C	1	12/21/2018 10:20
Turbidity	12.5 *	NTU	5	EPA 180.1	0.05	12/21/2018 16:00

ND = Not Detected  
 \* = Above Specified Limit

Report Approved by:

Lab Director

CT Lic PH-0787

NY Lic 11706

Analytical results relate to the samples as received at the laboratory. Report shall not be reproduced except in its entirety without written approval from the laboratory.





## AQUA ENVIRONMENTAL LAB

56 Church Hill Road • Newtown, CT 06470 • (203) 270-9973

# Invoice

DATE	INVOICE #
12/29/2018	33899

### BILL TO

Town of Easton  
ATTN Edward Nagy  
15 Westport Rd  
Easton CT 06612

P.O. NO.

TERMS

PROJECT

QUANTITY	DESCRIPTION	RATE	AMOUNT
6	Storm Water Analysis	300.00	1,800.00
	Sales Tax	6.35%	0.00
<p>04227006 - 5200 Appropriation 8000.00 Logistics 1000.00 Permitting 2000.00 App'l. of 2000.00 Total 13000.00</p>			
<b>Total</b>			<b>\$1,800.00</b>

## Town of Trumbull Household Hazardous Waste Collection

Saturday, June 9, 2018

TIME: 9:00 A.M. - 2:00 P.M.

PLACE: 307 Indian Ledge Park Drive next to BMX Facility  
SERVING TRUMBULL, MONROE & EASTON RESIDENTS  
(Must show CT Driver's License)

### What To Bring:

Household hazardous waste no longer needed, 20 gallons & 20 pounds per household. We reserve the right to refuse unidentified materials and large amounts of hazardous waste.

#### EXAMPLES:

- Oil Based Paints & Strippers
- Paint Thinner, Solvents, Stains & Varnishes
- Solvent Adhesives
- Lighter Fluid
- Waste Fuels: Kerosene, Gasoline
- Engine Degreaser
- Carburetor Cleaner, Brake Fluid
- Transmission Fluid
- Pesticides & Insecticides
- Weed Killers, Moth Balls
- Flea Powder
- Resins & Adhesives
- Rubber Cement, Airplane Glue
- Hobby Supplies, Artist Supplies
- Photo Chemicals, Chemistry Sets
- Furniture, Floor, Metal Polishers
- Oven, Toilet & Drain Cleaners
- Rug & Upholstery Cleaner
- Dry Cleaning Solvents
- Spot Removers
- Swimming Pool Chemicals
- Fluorescent Light Bulbs
- Mercury thermometers

### How Do I Transport These

#### Materials Safely??

- Bring materials in original containers securely closed.
- Pack containers in sturdy upright boxes and pad with newspaper, if necessary.
- Never mix chemicals together!
- Never smoke or eat while handling hazardous materials.
- Leaking or broken containers must be contained.
- Do not leave vehicles unless instructed to do so.

### What Not To Bring:

- Latex Paint (can be solidified & thrown in the trash)
- Asbestos
- Ammunition, Fireworks, Explosives
- Radioactives, Smoke Detectors
- Infectious & Biological Wastes
- Prescription Drugs/Syringes
- Commercial or Industrial Waste
- Empty Containers
- Compressed Gas Cylinders/Propane Tanks
- Tires
- Antifreeze
- Waste Motor Oil
- Car Batteries
- Household Alkaline Batteries
- Cooking Oil

\* These items may be disposed of at the Team Transfer Station at 101 Spring Hill Road.

### For More Information, Contact:

Trumbull Highway Dept.  
452-5070



**TOWN OF  
TRUMBULL  
HIGHWAY DEPT.**



366 Church Hill Rd.  
Trumbull, CT 06611  
(203) 452-5070

June 25, 2018

Mr. Ed Nagy  
Easton Public Works Dept.  
15 Westport Rd.  
Easton, CT 06612

Re: Hazardous Waste Day Billing

Dear Ed:

Following is the breakdown for the Town of Easton Hazardous Waste Day held in Trumbull on Saturday, 6/9/18. The cost is \$30.00 for a full household and \$20.00 for ½ household, plus the setup fee:

½ Households	✓ 11 x \$20.00	= \$ 220.00
Full Households	✓ 15 x \$30.00	= \$ 450.00
1/3 of the setup fee		= \$ 333.00
<b>Total .....</b>		<b>\$ 1003.00</b>

(P76)

If any additional information is required, please feel free to contact our office at (203) 452-5071.

Please be advised that Care Environmental Corp. has been paid. Therefore, please make your check payable to *Town of Trumbull* and remit to the following address:

Trumbull Highway Dept.  
366 Church Hill Rd.  
Trumbull, CT 06611

Regards,

Traci Stone  
Office Manager

0411 02000 - 5245

Appropriation Account .....

Approved By: [Signature] .....

Fee/age & Extension D.F. ....

Model by Selection .....

Interest .....

Check No. ....

Note: As of January 2017, there are **NEW** restrictions on pesticides that contain neonicotinoids because they are highly toxic to bees and other pollinators.

Please check your sheds and garages, remove these products from use, and bring to the Trumbull Household Hazardous Waste Collection Day for proper disposal.

From the CT DEEP:

NOTICE OF RECLASSIFICATION OF NEONICOTINOID PESTICIDES  
USED FOR TREATING PLANTS

## Town of Trumbull Household Hazardous Waste Collection

Saturday, October 20, 2018

TIME: 9:00 A.M. - 2:00 P.M.

PLACE: 307 Indian Ledge Park Drive next to BMX Facility  
SERVING TRUMBULL, MONROE & EASTON RESIDENTS  
(Must show CT Driver's License)

### What To Bring:

Household hazardous waste no longer needed, 20 gallons & 20 pounds per household. We reserve the right to refuse unidentified materials and large amounts of hazardous waste.

#### EXAMPLES:

- Oil Based Paints & Strippers
- Paint Thinner, Solvents, Stains & Varnishes
- Solvent Adhesives
- Lighter Fluid
- Waste Fuels: Kerosene, Gasoline
- Engine Degreaser
- Carburetor Cleaner, Brake Fluid
- Transmission Fluid
- Pesticides & Insecticides
- Weed Killers, Moth Balls
- Flea Powder
- Resins & Adhesives
- Rubber Cement, Airplane Glue
- Hobby Supplies, Artist Supplies
- Photo Chemicals, Chemistry Sets
- Furniture, Floor, Metal Polishes
- Oven, Toilet & Drain Cleaners
- Rug & Upholstery Cleaner
- Dry Cleaning Solvents
- Spot Removers
- Swimming Pool Chemicals
- Fluorescent Light Bulbs
- Mercury thermometers

### How Do I Transport These Materials Safely??

- Bring materials in original containers securely closed.
- Pack containers in sturdy upright boxes and pad with newspaper, if necessary.
- Never mix chemicals together!
- Never smoke or eat while handling hazardous materials.
- Leaking or broken containers must be contained.
- Do not leave vehicles unless instructed to do so.

### For More Information, Contact:

Trumbull Highway Dept.  
452-5070

### What Not To Bring:

- Latex Paint (can be solidified & thrown in the trash)
- Asbestos
- Ammunition, Fireworks, Explosives
- Radioactives, Smoke Detectors
- Infectious & Biological Wastes
- Prescription Drugs/Syringes
- Commercial or Industrial Waste
- Empty Containers
- Compressed Gas Cylinders/Propane Tanks
  - ❖ Tires \*
  - ❖ Antifreeze \*
  - ❖ Waste Motor Oil \*
  - ❖ Car Batteries \*
  - ❖ Household Alkaline Batteries \*
  - ❖ Cooking Oil \*

\* These items may be disposed of at the TEaM Transfer Station at 101 Spring Hill Road.



**TOWN OF  
TRUMBULL  
HIGHWAY DEPT.**



366 Church Hill Rd.  
Trumbull, CT 06611  
(203) 452-5070

October 22, 2018

Mr. Ed Nagy  
Easton Public Works Dept.  
15 Westport Rd.  
Easton, CT 06612

Re: Hazardous Waste Day Billing

Dear Ed:

Following is the breakdown for the Town of Easton Hazardous Waste Day held in Trumbull on Saturday, 10/20/18. The cost is \$30.00 for a full household and \$20.00 for ½ household, plus the setup fee:

½ Households	12 x \$20.00	= \$ 240.00
Full Households	9 x \$30.00	= \$ 270.00
1/3 of the setup fee		= \$ 333.00
<b>Total .....</b>	<b>\$ 843.00</b>	

(232.00)

If any additional information is required, please feel free to contact our office at (203) 452-5071.

Please be advised that Care Environmental Corp. has been paid. Therefore, please make your check payable to *Town of Trumbull* and remit to the following address:

Trumbull Highway Dept.  
366 Church Hill Rd.  
Trumbull, CT 06611

Regards,

  
Traci Stone  
Office Manager

PO#8466

**FILE COPY**

## 2018 - ELECTRONICS AND HOUSEHOLD HAZARDOUS WASTE - QUESTIONS

[illegible]





Search our site...

[Government](#) | [Community](#) | [How Do I Find?](#) | [Contact Center](#) | [Document Center](#)[About Easton](#) [Departments](#) [Boards](#) [Online Services](#) [Forms](#) [E-Subscriber](#)

## LINKS

[Special Item Disposal](#)

## CONTACT INFO

Address:  
15 Westport Road  
(Transfer Station: 101 Spring Hill  
Road, Trumbull, CT)  
Easton, CT 06612  
Phone:  
(203) 268-0714

[Home](#) › [Solid Waste \(Refuse\)](#) › [Special Item Disposal](#)

## SPECIAL ITEM DISPOSAL

### Disposal of Waste Motor Oil, Car Batteries & Anti-Freeze

Waste motor oil, car batteries and anti-freeze can be disposed of at the Public Works facility, 15 Westport Road, Monday-Friday between 7:00am-12:00am and 12:30pm-2:30 p.m.

### Disposal of Leaves

The Town of Easton encourages backyard composting.

For additional information, please reference the following Department of Energy & Environmental Protection links:

[Turn Your Spoils Into Soil...COMPOST!](#)

[Composting and Organics Recycling](#)

[Don't Trash Grass!](#)

### Disposal of Holiday Trees

The Town of Easton accepts old Holiday trees for recycling. Please remove all foreign material such as lights, decorations and plastic bags from the tree. Under state law, the trees are considered yard waste and must be recycled like brush, grass clippings and leaves. Please deposit trees in the marked area at the Public Works Department yard, 15 Westport Road.

*We do not accept holiday wreaths.*

### Disposal of Paint

Recycle unwanted and leftover paint through PaintCare.org which operates paint stewardship programs on behalf of paint manufacturers in states that have passed paint stewardship laws. Connecticut is one of the states. Visit [www.paintcare.org](http://www.paintcare.org) for information regarding Connecticut's program.

### Disposal of Other Hazardous Waste

From time to time, Easton works with surrounding towns to host hazardous waste disposal days. Please note that the Town of Easton is typically charged between \$20 and \$40 for each household that participates. For more information, please visit the CT state website for [DEEP \(Household Hazardous Waste - HHW\)](#) or contact Easton's Public Works Department (203) 268-0714.

### Disposal of Electronics

Recycle your electronics (free of charge) at one of Easton's Electronics Recycling Days or at the Trumbull Transfer Station.

### Trumbull Transfer Station

101 Spring Hill Road  
Trumbull, CT 06611  
(203) 452-5167

### Hours:

Monday to Friday: 7:00am - 2:45pm

Saturday: 7:00am - 11:45am

[Click here for directions to the Trumbull Transfer Station](#)

## Places to Take Old Paint

Paint recycling is more convenient with PaintCare. We set up paint drop-off sites throughout Connecticut. To find your nearest drop-off site, use PaintCare's search tool at [www.paintcare.org](http://www.paintcare.org) or call our hotline at (855) 724-6809.

## How to Recycle

PaintCare sites accept all brands of old house paint, stain and varnish — even if they are 20 years old! Containers must be five gallons or smaller, and a few types of paint are not accepted. See back panel for a list of what you can recycle.

All PaintCare drop-off sites accept up to five gallons of paint per visit. Some sites accept more. Please call the site in advance to make sure they can accept the amount of paint you would like to recycle.

Make sure all containers of paint have lids and original labels, and load them securely in your vehicle. Take them to a drop-off site during their regular business hours. We'll take it from there.

## What Happens to the Paint?

PaintCare will make sure that your leftover paint is remixed into recycled paint, used as a fuel, made into other products or properly disposed.

## Who Can Use the Program?

People bringing paint from their homes can bring as much latex or oil-based paint as the site is willing to accept.

Businesses (painting contractors and others) can use this program with one restriction: If your business produces more than 220 pounds (about 20-30 gallons) of hazardous waste per month, you may use the drop-off sites for your latex paint only but not for your oil-based paint. Contact PaintCare to learn more about this restriction.

## Large Volume Pick-Up

If you have at least 200 gallons of paint to recycle at your business or home, ask about our free pick-up service. Please call for more details or to request an appointment.

## PaintCare Fee

PaintCare is funded by a fee paid by paint manufacturers for each can of paint they sell in the state. Manufacturers pass the fee to retailers, who then apply it to the price of paint. Stores can choose whether or not to show the fee on their receipts. Fees are based on the size of the container as follows:

- \$ 0.00 Half pint or smaller
- \$ 0.35 Larger than half pint and smaller than 1 gallon
- \$ 0.75 1 Gallon
- \$ 1.60 Larger than 1 gallon up to 5 gallons

## Not a Deposit

The fee is not a deposit — it is part of the purchase price. The fees are used to pay the costs of running the program: recycling, public education, staffing and other expenses.

## Contact Us

To learn more or find a drop-off site, please visit [www.paintcare.org](http://www.paintcare.org) or call (855) 724-6809.







## Connecticut Paint Stewardship Program

Each year about 780 million gallons of architectural paint is sold in the United States. Did you know that about 10 percent goes unused and is available for recycling?

Connecticut's Paint Stewardship Law requires the paint manufacturing industry to develop a financially sustainable and environmentally responsible program to manage postconsumer architectural paint.

The program includes education about buying the right amount of paint, tips for using up remaining paint and setting up convenient recycling locations throughout the state.

Paint manufacturers established PaintCare, a nonprofit organization, to run paint stewardship programs in states with applicable laws.

## PaintCare Products

These products have fees when you buy them and are accepted for free at drop-off sites:

- Interior and exterior architectural paints: latex, acrylic, water-based, alkyd, oil-based, enamel (including textured coatings)
- Deck coatings, floor paints (including elastomeric)
- Primers, sealers, undercoaters
- Stains
- Shellacs, lacquers, varnishes, urethanes (single component)
- Waterproofing concrete/masonry/wood sealers and repellents (not tar or bitumen-based)
- Metal coatings, rust preventatives
- Field and lawn paints

*Leaking, unlabeled and empty containers are not accepted at drop-off sites.*

## Non-PaintCare Products

- Paint thinners, mineral spirits, solvents
- Aerosol paints (spray cans)
- Auto and marine paints
- Art and craft paints
- Caulk, epoxies, glues, adhesives
- Paint additives, colorants, tints, resins
- Wood preservatives (containing pesticides)
- Roof patch and repair
- Asphalt, tar and bitumen-based products
- 2-component coatings
- Deck cleaners
- Traffic and road marking paints
- Industrial Maintenance (IM) coatings
- Original Equipment Manufacturer (OEM) (shop application) paints and finishes

For information about recycling and proper disposal of non-PaintCare products, please contact your garbage hauler, local environmental health agency, household hazardous waste program or public works department.



# Recycle

with PaintCare



CONNECTICUT

Summary  
November 21, 2018 - December 21, 2018

	High	Low	Average
Temperature	60.6 °F	11.7 °F	34.7 °F
Dew Point	59.7 °F	-3.3 °F	27.9 °F
Humidity	98%	23%	77.8%
Precipitation	5.45 in	--	--
	High	Low	Average
Wind Speed	22.4 mph	--	1.6 mph
Wind Gust	22 mph	--	--
Wind Direction	--	--	SSW
Pressure	30.58 in	29.19 in	--

Graphs   Table

Weather History Table  
November 21, 2018 - December 21, 2018

2018	Temperature			Dew Point		Humidity				Speed			Pressure			Precip. Accum.
Nov	High	Avg	Low	High	Avg	Low	High	Avg	Low	High	Avg	Gust	High	Avg	Low	Sum
21	42.3 °F	33.8 °F	25.2 °F	30.7 °F	24.7 °F	8.6 °F	92 %	69 %	46 %	20 mph	2 mph	20 mph	30.17 in	30.03 in	29.89 in	0 in
22	26.6 °F	21 °F	15.3 °F	12.6 °F	5.6 °F	0.3 °F	64 %	51 %	39 %	19 mph	4 mph	22 mph	30.56 in	30.36 in	30.17 in	0 in
23	31.1 °F	21.3 °F	11.7 °F	13.5 °F	6 °F	-3.3 °F	77 %	54 %	23 %	10 mph	2 mph	10 mph	30.58 in	30.44 in	30.31 in	0 in
24	43.2 °F	31 °F	18.7 °F	42.1 °F	27.1 °F	13.1 °F	96 %	81 %	67 %	7 mph	1 mph	9 mph	30.31 in	29.97 in	29.64 in	0.73 in
25	52.3 °F	46.9 °F	41.5 °F	45.1 °F	42.6 °F	39.4 °F	96 %	89 %	74 %	14 mph	2 mph	15 mph	29.91 in	29.74 in	29.58 in	0.22 in
26	48.4 °F	42.8 °F	37.2 °F	45.5 °F	41.1 °F	35.2 °F	97 %	94 %	89 %	17 mph	2 mph	21 mph	29.91 in	29.6 in	29.29 in	0.96 in
27	45.1 °F	40.2 °F	35.4 °F	41.2 °F	34.7 °F	28.2 °F	96 %	82 %	64 %	16 mph	2 mph	18 mph	29.38 in	29.32 in	29.26 in	0.06 in
28	41.7 °F	37.9 °F	34.3 °F	30.6 °F	28.7 °F	26.6 °F	81 %	70 %	60 %	19 mph	3 mph	21 mph	29.61 in	29.47 in	29.33 in	0 in
29	46 °F	37.5 °F	29.1 °F	31.8 °F	28.5 °F	25.7 °F	90 %	72 %	52 %	19 mph	2 mph	20 mph	29.95 in	29.78 in	29.6 in	0 in
30	39.6 °F	32.8 °F	26.1 °F	34.5 °F	30.2 °F	23.5 °F	94 %	89 %	72 %	2 mph	0 mph	3 mph	30.06 in	30.01 in	29.95 in	0.03 in



2018	Temperature			Dew Point			Humidity			Speed			Pressure			Precip. Accum.
Nov	High	Avg	Low	High	Avg	Low	High	Avg	Low	High	Avg	Gust	High	Avg	Low	Sum
2018	Temperature			Dew Point			Humidity			Speed			Pressure			Precip. Accum.
Dec	High	Avg	Low	High	Avg	Low	High	Avg	Low	High	Avg	Gust	High	Avg	Low	Sum
1	46.2 ° F	37.5 ° F	28.9 ° F	37.8 ° F	33 °F	27 °F	95 %	85 %	61 %	5 mph	0 mph	6 mph	30.18 in	30.12 in	30.06 in	0.07 in
2	49.5 ° F	44 °F	38.8 ° F	48.2 ° F	44.6 ° F	37.6 ° F	97 %	96 %	95 %	12 mph	1 mph	13 mph	30.06 in	29.81 in	29.55 in	0.68 in
3	54.5 ° F	47.4 ° F	40.5 ° F	48 °F	41.4 ° F	34.2 ° F	97 %	81 %	55 %	14 mph	1 mph	16 mph	29.65 in	29.58 in	29.5 in	0 in
4	42.6 ° F	33.8 ° F	25.2 ° F	34 °F	23.4 ° F	16.7 ° F	77 %	62 %	47 %	20 mph	3 mph	20 mph	30.05 in	29.85 in	29.65 in	0 in
5	36 °F	28.5 ° F	21 °F	22.5 ° F	19.5 ° F	16.9 ° F	86 %	71 %	48 %	6 mph	1 mph	7 mph	30.08 in	30.02 in	29.96 in	0 in
6	40.3 ° F	30.1 ° F	19.9 ° F	28.9 ° F	22.9 ° F	16.9 ° F	93 %	76 %	50 %	12 mph	1 mph	13 mph	30.15 in	30.1 in	30.05 in	0 in
7	37.9 ° F	30.1 ° F	22.3 ° F	28.2 ° F	20.7 ° F	13.3 ° F	92 %	67 %	48 %	15 mph	2 mph	15 mph	30.4 in	30.23 in	30.06 in	0 in
8	34.2 ° F	24.9 ° F	15.6 ° F	20.7 ° F	16.7 ° F	12.2 ° F	89 %	73 %	49 %	10 mph	1 mph	12 mph	30.49 in	30.42 in	30.36 in	0 in
9	34.5 ° F	25.9 ° F	17.2 ° F	25 °F	18.7 ° F	14.4 ° F	91 %	77 %	49 %	6 mph	0 mph	7 mph	30.49 in	30.28 in	30.08 in	0 in
10	37.9 ° F	28.1 ° F	18.3 ° F	24.8 ° F	19.6 ° F	15.4 ° F	91 %	76 %	52 %	10 mph	2 mph	15 mph	30.14 in	30.08 in	30.03 in	0 in
11	38.7 ° F	28.2 ° F	17.6 ° F	27.9 ° F	21.3 ° F	14.7 ° F	91 %	80 %	56 %	5 mph	1 mph	7 mph	30.15 in	30.01 in	29.88 in	0 in
12	40.3 ° F	32.2 ° F	24.1 ° F	27.1 ° F	23 °F	20.3 ° F	88 %	74 %	52 %	13 mph	1 mph	13 mph	30.25 in	30.06 in	29.88 in	0 in
13	34.2 ° F	29.6 ° F	25 °F	31.1 ° F	23.6 ° F	13.3 ° F	91 %	76 %	56 %	10 mph	2 mph	13 mph	30.47 in	30.35 in	30.24 in	0 in
14	45.7 ° F	38.3 ° F	31.1 ° F	39.7 ° F	34.8 ° F	28.8 ° F	93 %	88 %	79 %	5 mph	0 mph	5 mph	30.47 in	30.33 in	30.2 in	0.01 in
15	49.3 ° F	44.5 ° F	39.9 ° F	48 °F	41.1 ° F	36.5 ° F	97 %	92 %	77 %	8 mph	1 mph	11 mph	30.2 in	30.1 in	30.01 in	0.08 in
16	43.2 ° F	39.7 ° F	36.1 ° F	38.1 ° F	35.9 ° F	32.9 ° F	95 %	91 %	75 %	16 mph	3 mph	17 mph	30.09 in	29.89 in	29.69 in	0.61 in
17	44.1 ° F	39.9 ° F	35.8 ° F	37.6 ° F	33.3 ° F	27.9 ° F	95 %	81 %	63 %	14 mph	3 mph	17 mph	29.69 in	29.63 in	29.57 in	0 in
18	37.8 ° F	30.9 ° F	24.3 ° F	28 °F	17.3 ° F	13.8 ° F	69 %	59 %	46 %	22 mph	4 mph	22 mph	30.09 in	29.87 in	29.65 in	0 in
19	39.9 ° F	29.3 ° F	18.7 ° F	24.6 ° F	19 °F	14.2 ° F	87 %	71 %	42 %	6 mph	1 mph	7 mph	30.13 in	30.07 in	30.01 in	0 in
20	46.2 ° F	34.3 ° F	22.5 ° F	45.3 ° F	30 °F	19.8 ° F	97 %	87 %	58 %	8 mph	0 mph	10 mph	30.11 in	29.95 in	29.8 in	0.19 in
21	60.6 ° F	53.4 ° F	46.2 ° F	59.7 ° F	54.8 ° F	45.1 ° F	98 %	97 %	96 %	20 mph	2 mph	21 mph	29.8 in	29.49 in	29.19 in	1.81 in

Please note that DISQUS operates this forum. When you sign in to comment, your sign in information, along with your comments, will be governed by DISQUS' privacy policy. By commenting, you are accepting the DISQUS terms of service.

The comments made below do not necessarily represent the views of Weather Underground; The Weather Company, an IBM Business; or IBM. Comments below should not be perceived as official forecasts or emergency information. For official information on potential storm impacts and evacuation information, **please follow guidance from your local authority's emergency operations department.**

Comments for KCTWESTO4

0 Comments Weather Underground

Login

Recommend Tweet Share

Sort by Newest



Start the discussion...

LOG IN WITH

OR SIGN UP WITH DISQUS ?

Name

Be the first to comment.



© Mapbox © OpenStreetMap | Improve this map

View WunderMap

Weather History for Weston, CT [KCTWESTO4]

Daily Mode

December

21

2018

View

Previous

Next

Summary

December 21, 2018

	High	Low	Average
Temperature	60.6 °F	46.2 °F	53.4 °F
Dew Point	59.7 °F	45.1 °F	54.8 °F
Humidity	98%	96%	97%
Precipitation	1.81 in	--	--

	High	Low	Average
Wind Speed	20 mph	--	2 mph
Wind Gust	21 mph	--	--
Wind Direction	--	--	North
Pressure	29.8 in	29.19 in	--

Graphs

Table

Weather History Table  
December 21, 2018

Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
12:04 AM	46.2 °F	45.5 °F	97 %	SE	0 mph	2 mph	29.79 in	0 in	0 in
12:09 AM	46.2 °F	45.1 °F	96 %	South	2 mph	4 mph	29.78 in	0 in	0 in
12:14 AM	46.2 °F	45.1 °F	96 %	West	0 mph	3 mph	29.79 in	0 in	0 in
12:19 AM	46.2 °F	45.1 °F	96 %	NW	0 mph	3 mph	29.79 in	0 in	0 in
12:24 AM	46.4 °F	45.3 °F	96 %	NW	2 mph	5 mph	29.79 in	0 in	0 in
12:29 AM	46.6 °F	45.5 °F	96 %	WSW	3.1 mph	3 mph	29.78 in	0 in	0 in
12:34 AM	46.6 °F	45.5 °F	96 %	North	1.1 mph	3 mph	29.78 in	0 in	0 in
12:39 AM	46.8 °F	45.7 °F	96 %	North	1.1 mph	7 mph	29.78 in	0 in	0 in
12:44 AM	46.8 °F	45.7 °F	96 %	WSW	1.1 mph	4 mph	29.77 in	0.01 in	0.01 in
12:49 AM	46.9 °F	46.2 °F	97 %	SSW	2 mph	2 mph	29.77 in	0.01 in	0.01 in
12:54 AM	47.1 °F	46.4 °F	97 %	ENE	1.1 mph	4 mph	29.77 in	0.01 in	0.01 in
12:59 AM	47.1 °F	46.4 °F	97 %	NNW	2 mph	3 mph	29.76 in	0.01 in	0.01 in
1:04 AM	47.5 °F	46.8 °F	97 %	NW	1.1 mph	5 mph	29.76 in	0.02 in	0.02 in
1:09 AM	47.7 °F	46.9 °F	97 %	NW	2 mph	2 mph	29.76 in	0.02 in	0.02 in
1:14 AM	47.8 °F	46.9 °F	97 %	North	1.1 mph	1 mph	29.75 in	0.02 in	0.02 in
1:19 AM	47.8 °F	46.9 °F	97 %	WNW	1.1 mph	7 mph	29.75 in	0.03 in	0.03 in
1:24 AM	48 °F	47.1 °F	97 %	NW	0 mph	2 mph	29.74 in	0.03 in	0.03 in
1:29 AM	48.2 °F	47.3 °F	97 %	WNW	0 mph	2 mph	29.74 in	0.03 in	0.03 in
1:34 AM	48.4 °F	47.5 °F	97 %	WNW	0 mph	2 mph	29.73 in	0.03 in	0.03 in



Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
1:39 AM	48.4 °F	47.5 °F	97 %	WSW	1.1 mph	2 mph	29.72 in	0.03 in	0.03 in
1:44 AM	48.4 °F	47.5 °F	97 %	WSW	1.1 mph	2 mph	29.72 in	0.03 in	0.04 in
1:49 AM	48.4 °F	47.5 °F	97 %	NW	0 mph	2 mph	29.72 in	0.03 in	0.04 in
1:54 AM	48.7 °F	47.8 °F	97 %	North	0 mph	2 mph	29.72 in	0.04 in	0.05 in
1:59 AM	48.7 °F	47.8 °F	97 %	SE	2 mph	3 mph	29.72 in	0.04 in	0.05 in
2:04 AM	48.9 °F	48 °F	97 %	ENE	1.1 mph	2 mph	29.72 in	0.03 in	0.05 in
2:09 AM	48.7 °F	47.8 °F	97 %	East	0 mph	3 mph	29.7 in	0.04 in	0.06 in
2:14 AM	48.7 °F	47.7 °F	96 %	North	2 mph	3 mph	29.7 in	0.04 in	0.06 in
2:19 AM	48.7 °F	47.8 °F	97 %	NW	1.1 mph	3 mph	29.7 in	0.03 in	0.06 in
2:24 AM	48.9 °F	48 °F	97 %	SSW	0 mph	1 mph	29.69 in	0.03 in	0.06 in
2:29 AM	48.9 °F	48 °F	97 %	ESE	2 mph	2 mph	29.69 in	0.03 in	0.06 in
Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
2:34 AM	48.7 °F	47.8 °F	97 %	SW	2 mph	4 mph	29.68 in	0.03 in	0.07 in
2:39 AM	49.1 °F	48.2 °F	97 %	West	1.1 mph	3 mph	29.68 in	0.04 in	0.07 in
2:44 AM	49.5 °F	48.6 °F	97 %	NNW	2 mph	3 mph	29.67 in	0.03 in	0.08 in
2:49 AM	50 °F	49.1 °F	97 %	NNW	1.1 mph	7 mph	29.66 in	0.06 in	0.1 in
2:54 AM	50.5 °F	49.6 °F	97 %	North	0 mph	7 mph	29.66 in	0.06 in	0.11 in
2:59 AM	51.1 °F	50.2 °F	97 %	NNE	1.1 mph	6 mph	29.65 in	0.07 in	0.12 in
3:04 AM	51.3 °F	50.4 °F	97 %	ESE	2 mph	5 mph	29.65 in	0.07 in	0.12 in
3:09 AM	51.3 °F	50.4 °F	97 %	North	1.1 mph	3 mph	29.64 in	0.07 in	0.13 in
3:14 AM	51.4 °F	50.5 °F	97 %	NW	0 mph	4 mph	29.63 in	0.08 in	0.14 in
3:19 AM	51.8 °F	50.9 °F	97 %	East	2 mph	3 mph	29.63 in	0.09 in	0.16 in
3:24 AM	52 °F	51.1 °F	97 %	NW	2 mph	5 mph	29.62 in	0.12 in	0.18 in
3:29 AM	52 °F	51.1 °F	97 %	NNW	2 mph	6 mph	29.62 in	0.15 in	0.22 in
3:34 AM	52.2 °F	51.3 °F	97 %	SE	1.1 mph	3 mph	29.6 in	0.2 in	0.26 in
3:39 AM	52.2 °F	51.3 °F	97 %	South	1.1 mph	4 mph	29.6 in	0.23 in	0.3 in

Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
3:44 AM	52.2 °F	51.3 °F	97 %	North	1.1 mph	6 mph	29.59 in	0.26 in	0.33 in
3:49 AM	52.3 °F	51.4 °F	97 %	WSW	0 mph	5 mph	29.59 in	0.24 in	0.34 in
3:54 AM	52.5 °F	51.6 °F	97 %	ENE	3.1 mph	3 mph	29.58 in	0.25 in	0.36 in
3:59 AM	52.7 °F	51.8 °F	97 %	ENE	1.1 mph	3 mph	29.57 in	0.26 in	0.38 in
4:05 AM	52.9 °F	52 °F	97 %	SW	4.3 mph	13 mph	29.57 in	0.28 in	0.4 in
4:09 AM	53.1 °F	52.2 °F	97 %	NNE	1.1 mph	9 mph	29.57 in	0.3 in	0.43 in
4:14 AM	53.1 °F	52.2 °F	97 %	NNE	1.1 mph	10 mph	29.56 in	0.31 in	0.45 in
4:19 AM	53.1 °F	52.2 °F	97 %	NNW	3.1 mph	5 mph	29.55 in	0.33 in	0.48 in
4:24 AM	53.1 °F	52.2 °F	97 %	SW	0 mph	14 mph	29.55 in	0.31 in	0.49 in
4:29 AM	53.1 °F	52.2 °F	97 %	NE	2 mph	3 mph	29.55 in	0.28 in	0.49 in
4:34 AM	53.1 °F	52.2 °F	97 %	North	3.1 mph	12 mph	29.54 in	0.23 in	0.49 in
4:39 AM	53.1 °F	52.2 °F	97 %	North	3.1 mph	10 mph	29.54 in	0.2 in	0.51 in
4:44 AM	53.1 °F	52.2 °F	97 %	West	7.4 mph	14 mph	29.53 in	0.18 in	0.51 in
4:49 AM	53.4 °F	52.5 °F	97 %	North	2 mph	7 mph	29.54 in	0.17 in	0.51 in
4:54 AM	54 °F	53.1 °F	97 %	NW	3.1 mph	5 mph	29.54 in	0.16 in	0.52 in
4:59 AM	54.3 °F	53.4 °F	97 %	NNE	2 mph	7 mph	29.53 in	0.14 in	0.52 in

Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
5:04 AM	54.7 °F	53.8 °F	97 %	North	4.3 mph	9 mph	29.53 in	0.13 in	0.53 in
5:09 AM	55 °F	54.1 °F	97 %	NNE	4.3 mph	12 mph	29.53 in	0.1 in	0.53 in
5:14 AM	55.6 °F	54.7 °F	97 %	NW	2 mph	9 mph	29.53 in	0.08 in	0.53 in
5:19 AM	55.9 °F	55 °F	97 %	NE	3.1 mph	10 mph	29.53 in	0.06 in	0.54 in
5:24 AM	56.7 °F	55.8 °F	97 %	ESE	2 mph	11 mph	29.52 in	0.05 in	0.54 in



Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
5:29 AM	57 °F	56.5 °F	98 %	NNE	1.1 mph	12 mph	29.52 in	0.05 in	0.54 in
5:34 AM	57.6 °F	56.7 °F	97 %	NW	8.5 mph	14 mph	29.52 in	0.05 in	0.54 in
5:39 AM	57.9 °F	57.4 °F	98 %	NW	2 mph	13 mph	29.52 in	0.05 in	0.55 in
5:44 AM	57.9 °F	57 °F	97 %	WNW	11.6 mph	17 mph	29.51 in	0.05 in	0.56 in
5:49 AM	58.1 °F	57.2 °F	97 %	North	9.6 mph	14 mph	29.51 in	0.06 in	0.57 in
5:54 AM	58.3 °F	57.7 °F	98 %	NNW	7.4 mph	12 mph	29.51 in	0.05 in	0.57 in
5:59 AM	58.5 °F	57.9 °F	98 %	North	10.5 mph	16 mph	29.51 in	0.06 in	0.58 in
6:04 AM	58.6 °F	57.7 °F	97 %	NNE	8.5 mph	13 mph	29.51 in	0.05 in	0.58 in
6:09 AM	58.6 °F	57.7 °F	97 %	North	9.6 mph	19 mph	29.51 in	0.05 in	0.58 in
6:14 AM	58.8 °F	57.9 °F	97 %	NNW	5.4 mph	17 mph	29.5 in	0.05 in	0.58 in
6:19 AM	58.8 °F	58.3 °F	98 %	NW	4.3 mph	16 mph	29.5 in	0.04 in	0.58 in
6:24 AM	58.8 °F	58.3 °F	98 %	NNE	8.5 mph	16 mph	29.49 in	0.04 in	0.58 in
6:29 AM	58.8 °F	58.3 °F	98 %	NNW	3.1 mph	6 mph	29.49 in	0.05 in	0.59 in
6:34 AM	58.8 °F	58.3 °F	98 %	WSW	2 mph	10 mph	29.49 in	0.05 in	0.59 in
6:39 AM	59 °F	58.1 °F	97 %	NE	5.4 mph	16 mph	29.49 in	0.04 in	0.6 in
6:44 AM	59 °F	58.1 °F	97 %	NE	5.4 mph	15 mph	29.48 in	0.04 in	0.6 in
6:49 AM	59.2 °F	58.3 °F	97 %	NNE	7.4 mph	11 mph	29.47 in	0.03 in	0.6 in
6:54 AM	59.4 °F	58.5 °F	97 %	SSE	1.1 mph	14 mph	29.48 in	0.04 in	0.61 in
6:59 AM	59.4 °F	58.5 °F	97 %	NW	5.4 mph	12 mph	29.47 in	0.03 in	0.61 in

Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
7:04 AM	59.5 °F	58.6 °F	97 %	NNE	8.5 mph	14 mph	29.48 in	0.03 in	0.61 in
7:09 AM	59.5 °F	58.6 °F	97 %	ENE	5.4 mph	12 mph	29.47 in	0.04 in	0.62 in
7:14 AM	59.5 °F	58.6 °F	97 %	NNE	4.3 mph	15 mph	29.47 in	0.04 in	0.62 in
7:19 AM	59.5 °F	58.6 °F	97 %	East	5.4 mph	15 mph	29.47 in	0.04 in	0.62 in
7:24 AM	59.4 °F	58.5 °F	97 %	North	3.1 mph	12 mph	29.47 in	0.04 in	0.62 in
7:29 AM	59.5 °F	58.6 °F	97 %	NNW	4.3 mph	14 mph	29.46 in	0.04 in	0.63 in
Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
7:34 AM	59.5 °F	58.6 °F	97 %	ENE	2 mph	14 mph	29.46 in	0.04 in	0.63 in
7:39 AM	59.5 °F	58.6 °F	97 %	NE	5.4 mph	15 mph	29.45 in	0.04 in	0.63 in
7:44 AM	59.5 °F	58.6 °F	97 %	NNE	7.4 mph	13 mph	29.45 in	0.03 in	0.63 in
7:49 AM	59.5 °F	58.6 °F	97 %	North	10.5 mph	20 mph	29.45 in	0.03 in	0.63 in
7:54 AM	59.7 °F	58.8 °F	97 %	SW	3.1 mph	17 mph	29.44 in	0.04 in	0.65 in
7:59 AM	59.7 °F	58.8 °F	97 %	North	4.3 mph	9 mph	29.45 in	0.05 in	0.66 in
8:04 AM	59.7 °F	58.8 °F	97 %	NE	6.3 mph	19 mph	29.44 in	0.05 in	0.66 in
8:09 AM	59.7 °F	58.8 °F	97 %	WSW	11.6 mph	17 mph	29.45 in	0.04 in	0.66 in
8:14 AM	59.9 °F	59 °F	97 %	NE	7.4 mph	17 mph	29.45 in	0.04 in	0.66 in
8:19 AM	59.7 °F	58.8 °F	97 %	North	7.4 mph	14 mph	29.45 in	0.04 in	0.66 in
8:24 AM	59.7 °F	58.8 °F	97 %	NE	4.3 mph	12 mph	29.45 in	0.04 in	0.66 in
8:29 AM	59.7 °F	58.8 °F	97 %	NNW	18.1 mph	19 mph	29.45 in	0.03 in	0.66 in



Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
8:34 AM	59.7 °F	58.8 °F	97 %	NE	3.1 mph	10 mph	29.45 in	0.04 in	0.67 in
8:39 AM	60.1 °F	59.2 °F	97 %	ENE	8.5 mph	13 mph	29.45 in	0.04 in	0.67 in
8:44 AM	60.3 °F	59.4 °F	97 %	WSW	1.1 mph	10 mph	29.46 in	0.05 in	0.68 in
8:49 AM	60.4 °F	59.5 °F	97 %	NW	6.3 mph	12 mph	29.46 in	0.08 in	0.71 in
8:54 AM	60.4 °F	59.5 °F	97 %	NE	4.3 mph	7 mph	29.46 in	0.12 in	0.78 in
8:59 AM	60.6 °F	59.7 °F	97 %	WNW	4.3 mph	18 mph	29.45 in	0.2 in	0.88 in
9:04 AM	60.6 °F	59.7 °F	97 %	NW	6.3 mph	11 mph	29.45 in	0.27 in	0.93 in
9:09 AM	60.6 °F	59.7 °F	97 %	North	6.3 mph	12 mph	29.45 in	0.3 in	0.96 in
9:14 AM	60.6 °F	59.7 °F	97 %	NNE	4.3 mph	10 mph	29.45 in	0.39 in	1.05 in
9:19 AM	60.4 °F	59.5 °F	97 %	NNW	6.3 mph	6 mph	29.45 in	0.41 in	1.07 in
9:24 AM	60.4 °F	59.5 °F	97 %	NNW	7.4 mph	10 mph	29.45 in	0.42 in	1.09 in
9:29 AM	60.3 °F	59.4 °F	97 %	ENE	2 mph	11 mph	29.45 in	0.43 in	1.09 in
9:34 AM	60.3 °F	59.4 °F	97 %	NNW	1.1 mph	9 mph	29.45 in	0.43 in	1.1 in
9:39 AM	60.3 °F	59.4 °F	97 %	NE	2 mph	7 mph	29.45 in	0.43 in	1.1 in
9:44 AM	60.3 °F	59.4 °F	97 %	NNE	2 mph	7 mph	29.45 in	0.44 in	1.12 in
9:49 AM	60.3 °F	59.4 °F	97 %	NE	4.3 mph	9 mph	29.45 in	0.43 in	1.14 in
9:54 AM	60.1 °F	59.2 °F	97 %	NNE	3.1 mph	6 mph	29.45 in	0.4 in	1.17 in
9:59 AM	60.1 °F	59.2 °F	97 %	ENE	6.3 mph	6 mph	29.45 in	0.33 in	1.19 in
Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
10:04 AM	59.7 °F	58.8 °F	97 %	ENE	8.5 mph	11 mph	29.44 in	0.28 in	1.21 in
10:09 AM	59.5 °F	58.6 °F	97 %	NNE	5.4 mph	11 mph	29.44 in	0.25 in	1.21 in

Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
10:14 AM	59.4 °F	58.5 °F	97 %	NNE	3.1 mph	9 mph	29.44 in	0.17 in	1.23 in
10:19 AM	59.2 °F	58.3 °F	97 %	NE	3.1 mph	7 mph	29.44 in	0.18 in	1.26 in
10:24 AM	59 °F	58.1 °F	97 %	NNE	4.3 mph	7 mph	29.43 in	0.2 in	1.28 in
10:29 AM	58.8 °F	57.9 °F	97 %	NE	2 mph	4 mph	29.43 in	0.2 in	1.29 in
10:34 AM	58.6 °F	57.7 °F	97 %	NNE	1.1 mph	2 mph	29.43 in	0.2 in	1.3 in
10:39 AM	58.6 °F	57.7 °F	97 %	North	0 mph	5 mph	29.42 in	0.21 in	1.31 in
10:44 AM	58.6 °F	57.7 °F	97 %	WNW	2 mph	5 mph	29.41 in	0.21 in	1.33 in
10:49 AM	58.6 °F	57.7 °F	97 %	NW	0 mph	3 mph	29.41 in	0.2 in	1.34 in
10:54 AM	58.6 °F	57.7 °F	97 %	ENE	0 mph	2 mph	29.41 in	0.19 in	1.36 in
10:59 AM	58.6 °F	57.7 °F	97 %	NE	0 mph	0 mph	29.4 in	0.18 in	1.37 in
11:04 AM	58.6 °F	57.7 °F	97 %	NE	0 mph	0 mph	29.39 in	0.17 in	1.37 in
11:09 AM	58.6 °F	57.7 °F	97 %	NE	0 mph	0 mph	29.39 in	0.16 in	1.37 in
11:14 AM	58.6 °F	57.7 °F	97 %	West	0 mph	3 mph	29.39 in	0.16 in	1.38 in
11:19 AM	58.6 °F	57.7 °F	97 %	West	1.1 mph	3 mph	29.39 in	0.16 in	1.41 in
11:24 AM	58.5 °F	57.6 °F	97 %	West	0 mph	0 mph	29.39 in	0.14 in	1.42 in
11:29 AM	58.5 °F	57.6 °F	97 %	WNW	0 mph	0 mph	29.39 in	0.14 in	1.43 in
11:34 AM	58.3 °F	57.4 °F	97 %	WNW	0 mph	0 mph	29.39 in	0.16 in	1.46 in
11:39 AM	58.3 °F	57.4 °F	97 %	North	0 mph	4 mph	29.39 in	0.17 in	1.49 in
11:44 AM	58.3 °F	57.4 °F	97 %	North	0 mph	1 mph	29.39 in	0.17 in	1.5 in



Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
11:49 AM	58.3 °F	57.4 °F	97 %	WNW	1.1 mph	3 mph	29.36 in	0.18 in	1.52 in
11:54 AM	58.3 °F	57.4 °F	97 %	WNW	0 mph	1 mph	29.36 in	0.17 in	1.53 in
12:00 PM	58.3 °F	57.4 °F	97 %	WNW	0 mph	0 mph	29.35 in	0.17 in	1.54 in
12:04 PM	58.3 °F	57.4 °F	97 %	WNW	0 mph	0 mph	29.36 in	0.18 in	1.55 in
12:09 PM	58.3 °F	57.4 °F	97 %	WNW	0 mph	0 mph	29.36 in	0.18 in	1.55 in
12:14 PM	58.3 °F	57.4 °F	97 %	WNW	0 mph	0 mph	29.35 in	0.17 in	1.55 in
12:19 PM	58.3 °F	57.4 °F	97 %	WNW	0 mph	0 mph	29.34 in	0.14 in	1.55 in
12:24 PM	58.3 °F	57.4 °F	97 %	WNW	0 mph	0 mph	29.34 in	0.14 in	1.56 in
12:29 PM	58.1 °F	57.2 °F	97 %	WNW	0 mph	0 mph	29.34 in	0.13 in	1.56 in
Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
12:34 PM	57.7 °F	56.8 °F	97 %	WNW	0 mph	0 mph	29.34 in	0.1 in	1.56 in
12:39 PM	57.7 °F	56.8 °F	97 %	WNW	0 mph	0 mph	29.35 in	0.1 in	1.58 in
12:44 PM	57.6 °F	56.7 °F	97 %	WNW	0 mph	0 mph	29.35 in	0.11 in	1.61 in
12:49 PM	57.6 °F	56.7 °F	97 %	NNW	0 mph	3 mph	29.36 in	0.1 in	1.62 in
12:54 PM	57.7 °F	56.8 °F	97 %	NW	0 mph	0 mph	29.36 in	0.11 in	1.64 in
12:59 PM	57.7 °F	56.8 °F	97 %	North	0 mph	0 mph	29.36 in	0.12 in	1.66 in
1:04 PM	57.7 °F	56.8 °F	97 %	NW	0 mph	2 mph	29.35 in	0.13 in	1.68 in
1:09 PM	57.7 °F	56.8 °F	97 %	NW	0 mph	0 mph	29.34 in	0.14 in	1.69 in
1:14 PM	57.7 °F	56.8 °F	97 %	NW	2 mph	2 mph	29.31 in	0.15 in	1.7 in
1:19 PM	57.7 °F	56.8 °F	97 %	NW	0 mph	0 mph	29.31 in	0.16 in	1.71 in
1:24 PM	57.7 °F	56.8 °F	97 %	NW	0 mph	0 mph	29.32 in	0.16 in	1.72 in
1:29 PM	57.7 °F	56.8 °F	97 %	NW	0 mph	1 mph	29.33 in	0.16 in	1.72 in
1:34 PM	57.6 °F	56.7 °F	97 %	NW	0 mph	0 mph	29.33 in	0.16 in	1.72 in
1:39 PM	57.6 °F	56.7 °F	97 %	SW	0 mph	3 mph	29.32 in	0.14 in	1.72 in
1:44 PM	57.7 °F	56.8 °F	97 %	NW	0 mph	3 mph	29.32 in	0.12 in	1.73 in

Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
1:49 PM	57.7 °F	56.8 °F	97 %	NW	0 mph	2 mph	29.32 in	0.11 in	1.73 in
1:54 PM	57.9 °F	57 °F	97 %	NW	2 mph	2 mph	29.32 in	0.09 in	1.73 in
1:59 PM	58.1 °F	57.2 °F	97 %	NNW	4.3 mph	4 mph	29.31 in	0.08 in	1.74 in
2:04 PM	58.3 °F	57.4 °F	97 %	North	1.1 mph	1 mph	29.31 in	0.06 in	1.74 in
2:09 PM	58.3 °F	57.4 °F	97 %	NW	3.1 mph	5 mph	29.31 in	0.06 in	1.75 in
2:14 PM	58.3 °F	57.4 °F	97 %	NW	0 mph	4 mph	29.29 in	0.06 in	1.76 in
2:19 PM	58.5 °F	57.6 °F	97 %	WNW	2 mph	3 mph	29.29 in	0.05 in	1.76 in
2:24 PM	58.5 °F	57.6 °F	97 %	North	2 mph	3 mph	29.31 in	0.04 in	1.76 in
2:29 PM	58.5 °F	57.6 °F	97 %	North	1.1 mph	4 mph	29.31 in	0.04 in	1.76 in
2:34 PM	58.3 °F	57.4 °F	97 %	NNW	3.1 mph	4 mph	29.33 in	0.04 in	1.76 in
2:39 PM	58.3 °F	57.4 °F	97 %	NNE	1.1 mph	3 mph	29.33 in	0.05 in	1.77 in
2:44 PM	58.3 °F	57.4 °F	97 %	NNW	1.1 mph	5 mph	29.35 in	0.04 in	1.77 in
2:49 PM	58.3 °F	57.4 °F	97 %	NE	0 mph	4 mph	29.34 in	0.04 in	1.77 in
2:54 PM	58.1 °F	57.2 °F	97 %	North	1.1 mph	4 mph	29.34 in	0.04 in	1.77 in
2:59 PM	57.9 °F	57 °F	97 %	North	0 mph	3 mph	29.34 in	0.04 in	1.78 in
Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
3:04 PM	57.9 °F	57 °F	97 %	North	1.1 mph	4 mph	29.34 in	0.04 in	1.78 in
3:09 PM	57.9 °F	57 °F	97 %	North	2 mph	3 mph	29.34 in	0.03 in	1.78 in
3:14 PM	57.9 °F	57 °F	97 %	NW	2 mph	3 mph	29.34 in	0.03 in	1.79 in
3:19 PM	57.7 °F	56.8 °F	97 %	North	2 mph	4 mph	29.34 in	0.03 in	1.79 in
3:24 PM	57.7 °F	56.8 °F	97 %	North	4.3 mph	4 mph	29.34 in	0.03 in	1.79 in
3:29 PM	57.6 °F	56.7 °F	97 %	North	1.1 mph	5 mph	29.33 in	0.03 in	1.79 in
3:34 PM	57.6 °F	56.7 °F	97 %	WNW	5.4 mph	5 mph	29.34 in	0.03 in	1.79 in
3:39 PM	57.6 °F	56.7 °F	97 %	North	1.1 mph	5 mph	29.34 in	0.02 in	1.79 in
3:44 PM	57.4 °F	56.5 °F	97 %	NE	3.1 mph	5 mph	29.33 in	0.02 in	1.79 in
3:49 PM	57.4 °F	56.5 °F	97 %	NNE	0 mph	3 mph	29.33 in	0.02 in	1.79 in



Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
3:54 PM	57.4 °F	56.5 °F	97 %	NNW	1.1 mph	2 mph	29.33 in	0.02 in	1.79 in
3:59 PM	57.4 °F	56.5 °F	97 %	NNW	0 mph	4 mph	29.32 in	0.01 in	1.79 in
4:04 PM	57.4 °F	56.5 °F	97 %	NNE	0 mph	0 mph	29.33 in	0.01 in	1.79 in
4:09 PM	57.4 °F	56.5 °F	97 %	NW	2 mph	4 mph	29.31 in	0.01 in	1.79 in
4:14 PM	57.4 °F	56.5 °F	97 %	WSW	0 mph	3 mph	29.3 in	0 in	1.79 in
4:19 PM	57.2 °F	56.3 °F	97 %	SSW	1.1 mph	3 mph	29.3 in	0.01 in	1.8 in
4:24 PM	57.4 °F	56.5 °F	97 %	WNW	0 mph	2 mph	29.29 in	0.01 in	1.8 in
4:29 PM	57.4 °F	56.5 °F	97 %	NW	2 mph	2 mph	29.3 in	0.01 in	1.8 in
4:34 PM	57.2 °F	56.3 °F	97 %	NNW	2 mph	4 mph	29.3 in	0.01 in	1.8 in
4:39 PM	57.2 °F	56.3 °F	97 %	West	1.1 mph	5 mph	29.29 in	0.01 in	1.8 in
4:44 PM	57 °F	56.1 °F	97 %	WNW	2 mph	6 mph	29.29 in	0.01 in	1.8 in
4:49 PM	57 °F	56.1 °F	97 %	WNW	1.1 mph	7 mph	29.3 in	0.01 in	1.8 in
4:54 PM	57 °F	56.1 °F	97 %	NE	2 mph	3 mph	29.3 in	0.01 in	1.8 in
4:59 PM	57 °F	56.1 °F	97 %	North	1.1 mph	4 mph	29.31 in	0.01 in	1.8 in
5:04 PM	57 °F	56.1 °F	97 %	NNE	1.1 mph	5 mph	29.3 in	0.01 in	1.8 in
5:09 PM	57 °F	56.1 °F	97 %	NNE	3.1 mph	6 mph	29.31 in	0.01 in	1.8 in
5:14 PM	57 °F	56.1 °F	97 %	WNW	1.1 mph	5 mph	29.31 in	0.01 in	1.8 in
5:19 PM	56.8 °F	55.9 °F	97 %	NW	6.3 mph	13 mph	29.3 in	0 in	1.8 in
5:24 PM	56.8 °F	55.9 °F	97 %	NNE	3.1 mph	5 mph	29.29 in	0 in	1.8 in
5:29 PM	56.8 °F	55.9 °F	97 %	NNE	0 mph	4 mph	29.3 in	0 in	1.8 in
Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
5:34 PM	56.7 °F	55.8 °F	97 %	NE	2 mph	3 mph	29.3 in	0 in	1.8 in
5:39 PM	56.7 °F	55.8 °F	97 %	NW	1.1 mph	5 mph	29.29 in	0 in	1.8 in
5:44 PM	56.7 °F	55.8 °F	97 %	North	1.1 mph	5 mph	29.29 in	0 in	1.8 in
5:49 PM	56.5 °F	55.6 °F	97 %	NNE	1.1 mph	3 mph	29.3 in	0 in	1.8 in
5:54 PM	56.5 °F	55.6 °F	97 %	NE	1.1 mph	3 mph	29.3 in	0 in	1.8 in

Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
5:59 PM	56.5 °F	55.6 °F	97 %	NE	0 mph	4 mph	29.31 in	0 in	1.8 in
6:04 PM	56.3 °F	55.4 °F	97 %	North	3.1 mph	4 mph	29.31 in	0 in	1.8 in
6:09 PM	56.1 °F	55.2 °F	97 %	North	4.3 mph	5 mph	29.31 in	0 in	1.8 in
6:14 PM	56.1 °F	55.2 °F	97 %	NNW	6.3 mph	6 mph	29.3 in	0 in	1.8 in
6:19 PM	56.1 °F	55.2 °F	97 %	North	0 mph	3 mph	29.29 in	0 in	1.8 in
6:24 PM	55.9 °F	55 °F	97 %	NW	0 mph	2 mph	29.29 in	0 in	1.8 in
6:29 PM	55.9 °F	55 °F	97 %	WSW	3.1 mph	3 mph	29.28 in	0 in	1.8 in
6:34 PM	55.8 °F	54.9 °F	97 %	North	3.1 mph	5 mph	29.27 in	0 in	1.8 in
6:39 PM	55.8 °F	54.9 °F	97 %	North	2 mph	2 mph	29.26 in	0 in	1.8 in
6:44 PM	55.8 °F	54.9 °F	97 %	NNW	1.1 mph	4 mph	29.26 in	0.01 in	1.81 in
6:49 PM	55.8 °F	54.9 °F	97 %	WNW	0 mph	3 mph	29.26 in	0.01 in	1.81 in
6:54 PM	55.6 °F	54.7 °F	97 %	North	2 mph	3 mph	29.26 in	0.01 in	1.81 in
6:59 PM	55.6 °F	54.7 °F	97 %	NNW	2 mph	7 mph	29.25 in	0.01 in	1.81 in
7:04 PM	55.6 °F	54.7 °F	97 %	NNW	3.1 mph	3 mph	29.26 in	0.01 in	1.81 in
7:09 PM	55.6 °F	54.7 °F	97 %	NNE	2 mph	2 mph	29.26 in	0.01 in	1.81 in
7:14 PM	55.6 °F	54.7 °F	97 %	NNE	0 mph	2 mph	29.26 in	0.01 in	1.81 in
7:19 PM	55.4 °F	54.5 °F	97 %	North	2 mph	4 mph	29.26 in	0.01 in	1.81 in
7:24 PM	55.4 °F	54.5 °F	97 %	NW	0 mph	0 mph	29.26 in	0.01 in	1.81 in
7:29 PM	55.4 °F	54.5 °F	97 %	NE	1.1 mph	3 mph	29.26 in	0.01 in	1.81 in
7:34 PM	55.6 °F	54.7 °F	97 %	NNE	4.3 mph	7 mph	29.25 in	0.01 in	1.81 in
7:39 PM	55.6 °F	54.7 °F	97 %	WNW	2 mph	5 mph	29.26 in	0.01 in	1.81 in
7:44 PM	55.6 °F	54.7 °F	97 %	NNW	4.3 mph	4 mph	29.26 in	0 in	1.81 in
7:49 PM	55.6 °F	54.7 °F	97 %	North	4.3 mph	4 mph	29.27 in	0 in	1.81 in
7:54 PM	55.6 °F	54.7 °F	97 %	NW	1.1 mph	3 mph	29.26 in	0 in	1.81 in
7:59 PM	55.6 °F	54.7 °F	97 %	North	1.1 mph	5 mph	29.26 in	0 in	1.81 in
Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.

Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
8:04 PM	55.6 °F	54.7 °F	97 %	NNW	5.4 mph	11 mph	29.25 in	0 in	1.81 in
8:09 PM	55.6 °F	54.7 °F	97 %	NE	0 mph	4 mph	29.24 in	0 in	1.81 in
8:14 PM	55.6 °F	54.7 °F	97 %	NW	2 mph	2 mph	29.23 in	0 in	1.81 in
8:19 PM	55.6 °F	54.7 °F	97 %	NE	3.1 mph	5 mph	29.21 in	0 in	1.81 in
8:24 PM	55.4 °F	54.5 °F	97 %	ENE	0 mph	2 mph	29.23 in	0 in	1.81 in
8:29 PM	55.4 °F	54.5 °F	97 %	NNE	1.1 mph	3 mph	29.24 in	0 in	1.81 in
8:34 PM	55.2 °F	54.3 °F	97 %	NNW	4.3 mph	4 mph	29.27 in	0 in	1.81 in
8:39 PM	55.2 °F	54.3 °F	97 %	NNE	3.1 mph	4 mph	29.26 in	0 in	1.81 in
8:44 PM	55.2 °F	54.3 °F	97 %	North	1.1 mph	5 mph	29.26 in	0 in	1.81 in
8:49 PM	55.2 °F	54.3 °F	97 %	NNE	2 mph	6 mph	29.25 in	0 in	1.81 in
8:54 PM	55.2 °F	54.3 °F	97 %	South	2 mph	9 mph	29.26 in	0 in	1.81 in
8:59 PM	55.2 °F	54.3 °F	97 %	North	2 mph	9 mph	29.26 in	0 in	1.81 in
9:04 PM	55.2 °F	54.3 °F	97 %	North	1.1 mph	4 mph	29.26 in	0 in	1.81 in
9:09 PM	55 °F	54.1 °F	97 %	NNW	3.1 mph	4 mph	29.25 in	0 in	1.81 in
9:14 PM	55 °F	54.1 °F	97 %	North	2 mph	6 mph	29.24 in	0 in	1.81 in
9:19 PM	55 °F	54.1 °F	97 %	NE	3.1 mph	7 mph	29.23 in	0 in	1.81 in
9:24 PM	54.9 °F	54 °F	97 %	NW	2 mph	6 mph	29.25 in	0 in	1.81 in
9:29 PM	54.9 °F	54 °F	97 %	NE	3.1 mph	5 mph	29.24 in	0 in	1.81 in
9:34 PM	54.7 °F	53.8 °F	97 %	NE	0 mph	4 mph	29.23 in	0 in	1.81 in
9:39 PM	54.5 °F	53.6 °F	97 %	West	8.5 mph	9 mph	29.22 in	0 in	1.81 in
9:44 PM	54.3 °F	53.4 °F	97 %	North	11.6 mph	12 mph	29.23 in	0 in	1.81 in
9:49 PM	54.3 °F	53.4 °F	97 %	NNW	8.5 mph	10 mph	29.23 in	0 in	1.81 in
9:54 PM	54.1 °F	53.2 °F	97 %	WSW	2 mph	5 mph	29.23 in	0 in	1.81 in
9:59 PM	54.1 °F	53.2 °F	97 %	NE	4.3 mph	4 mph	29.22 in	0 in	1.81 in
10:04 PM	54.1 °F	53.2 °F	97 %	ENE	1.1 mph	4 mph	29.22 in	0 in	1.81 in
10:09 PM	54 °F	53.1 °F	97 %	NNE	3.1 mph	6 mph	29.22 in	0 in	1.81 in



Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
10:14 PM	54 °F	53.1 °F	97 %	East	2 mph	10 mph	29.23 in	0 in	1.81 in
10:19 PM	54 °F	53.1 °F	97 %	ENE	3.1 mph	9 mph	29.22 in	0 in	1.81 in
10:24 PM	53.8 °F	52.9 °F	97 %	NNW	3.1 mph	7 mph	29.23 in	0 in	1.81 in
10:29 PM	53.8 °F	52.9 °F	97 %	ENE	2 mph	7 mph	29.23 in	0 in	1.81 in
Time	Temperature	Dew Point	Humidity	Wind	Speed	Gust	Pressure	Precip. Rate.	Precip. Accum.
10:34 PM	53.8 °F	52.9 °F	97 %	NNE	3.1 mph	7 mph	29.23 in	0 in	1.81 in
10:39 PM	53.8 °F	52.9 °F	97 %	NE	3.1 mph	3 mph	29.23 in	0 in	1.81 in
10:44 PM	53.8 °F	52.9 °F	97 %	NNE	3.1 mph	9 mph	29.23 in	0 in	1.81 in
10:49 PM	53.6 °F	52.7 °F	97 %	NNE	1.1 mph	5 mph	29.23 in	0 in	1.81 in
10:54 PM	53.6 °F	52.7 °F	97 %	North	2 mph	3 mph	29.22 in	0 in	1.81 in
10:59 PM	53.4 °F	52.5 °F	97 %	North	1.1 mph	4 mph	29.23 in	0 in	1.81 in
11:04 PM	53.4 °F	52.5 °F	97 %	NNE	3.1 mph	4 mph	29.22 in	0 in	1.81 in
11:09 PM	53.4 °F	52.5 °F	97 %	NW	1.1 mph	3 mph	29.21 in	0 in	1.81 in
11:14 PM	53.4 °F	52.3 °F	96 %	North	1.1 mph	3 mph	29.21 in	0 in	1.81 in
11:19 PM	53.2 °F	52.3 °F	97 %	North	1.1 mph	2 mph	29.21 in	0 in	1.81 in
11:24 PM	53.2 °F	52.3 °F	97 %	NE	0 mph	4 mph	29.22 in	0 in	1.81 in
11:29 PM	53.2 °F	52.3 °F	97 %	NE	1.1 mph	5 mph	29.21 in	0 in	1.81 in
11:34 PM	53.2 °F	52.3 °F	97 %	North	2 mph	3 mph	29.22 in	0 in	1.81 in
11:39 PM	53.1 °F	52.2 °F	97 %	North	2 mph	3 mph	29.22 in	0 in	1.81 in
11:44 PM	53.1 °F	52.2 °F	97 %	North	1.1 mph	4 mph	29.21 in	0 in	1.81 in
11:49 PM	52.9 °F	51.8 °F	96 %	West	2 mph	2 mph	29.21 in	0 in	1.81 in
11:54 PM	52.9 °F	51.8 °F	96 %	NNW	0 mph	4 mph	29.2 in	0 in	1.81 in
11:59 PM	52.9 °F	51.8 °F	96 %	NNW	0 mph	3 mph	29.19 in	0 in	1.81 in

Please note that DISQUS operates this forum. When you sign in to comment, your sign in information, along with your comments, will be governed by DISQUS' privacy policy. By commenting, you are accepting the DISQUS terms of service.